



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: A61K 31/19, A23K 1/16, 1/18	AI	(11) International Publication Number: WO 98/08499 (43) International Publication Date: 5 March 1998 (05.03.98)
(21) International Application Number: PCT/IB97/01068 (22) International Filing Date: 19 August 1997 (19.08.97) (30) Priority Data: 9618008.8 27 August 1996 (27.08.96) GB (71) Applicant (for all designated States except US): DSM N.V. [NL/NL]; Het Overloon 1, NL-6411 TE Heerlen (NL). (72) Inventor; and (75) Inventor/Applicant (for US only): VAN OUYEN, Johannes, Adrianus, Cornelis [NL/NL]; A.M.A. van Langeraadweg 7, NL-3381 LB Grissenburg (NL). (74) Agent: JACOBS, Monique, Sophie, Nicole; Octrooibureau DSM, P.O. Box 9, NL-6160 MA Geleen (NL).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: BIOCIDAL COMPOSITIONS (57) Abstract This invention relates to a composition comprising benzoic acid or a derivative of benzoic acid capable of giving rise to free benzoic acid <i>in vivo</i> for use as a medicament for animals, wherein said acid/derivative functions as an antibiotic, promotes growth, decreases feed conversion and improves digestibility of amino acids administered in animal feeds. The benzoic acid or its derivative can be administered to the animal either in its feed composition or in its drinking water. It is particularly effective in pigs.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NB	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

BIOCIDAL COMPOSITIONS

This invention relates to the use of compositions comprising benzoic acid for use as a medicament for animals, especially pigs, at the same time promoting growth thereof and improving the digestibility of amino acids fed to such animals.

It is known from our own prior published EP-A-0683985 that animal feed
5 compositions comprising benzoic acid or salts thereof can be used to minimise the emission of odoriferous ammonia from organic wastes, especially animal excrements and manure.

It has now been found that in addition to the above function, benzoic acid can be used instead of relatively expensive antibiotics for such animals and
10 furthermore, such acid/salts have the advantage of being able to promote growth, decrease feed conversion and improve digestibility of amino acids in animal feeds.

Accordingly, the present invention is a composition comprising benzoic acid or a derivative of benzoic acid capable of giving rise to free benzoic acid *in vivo* for use as a medicament for animals.

15 Benzoic acid or a derivative thereof capable of giving rise to benzoic acid *in vivo* may be administered to the animals as a component of a composition which is conventionally fed to animals. Thus, benzoic acid and derivatives thereof may be suitably administered to the animals as a component of the animal feed or in their drinking water. Specific examples of derivatives of benzoic acid which can give
20 rise to benzoic acid *in vivo* include salts of benzoic acid such as eg the alkali metal-alkaline earth metal- and ammonium benzoates.

The amount of benzoic acid or a derivative thereof administered to the animal is suitably such that it is sufficient to prevent/cure any infection in the animal in its capacity as a biocide. Such an amount is suitably in the range from 0.001 -
25 5% based on the total weight of each feed fed to the animal. This amount may,

however, be higher if the function of benzoic acid or a derivative thereof is not only to act as a biocide but also to control the pH of the animal excreta fed on such a diet in order to suppress the emission of ammonia from the excreta. Such higher amounts are suitably limited to a maximum of about 10% based on the total animal feed composition. The benzone acid/salt functions inter alia as an antibiotic, promotes growth, decreases feed conversion and improves digestibility of amino acids administered in animal feeds.

A typical formulation for an animal feed composition is shown in Table 1 below in which all the amounts shown in % by weight were fed to pigs:

TABLE 1

Composition	Control II	Example 2
Meat meal (58% Crude protein)	3.20	3.20
Molasses	5.00	5.00
Wheat	5.90	5.90
Soybean meal (45% Crude protein)	15.1	15.1
Tapioca (66% starch)	36.5	35.5
Wheat middlings	15	15
Animal fat	3.3	3.3
Limestone	0.74	0.74
Lysine hydrochloride (98%)	0.06	0.06
Vitamin premix	0.5	0.5
Trace minerals	0.5	0.5
Sunflower meal	12.2	12.2
Ammonium chloride	2	2
Ammonium benzoate	-	1

Thus, benzoic acid or a derivative thereof may be used in combination with conventional ingredients present in an animal feed composition (diet) such as calcium carbonates, electrolytes such as eg ammonium chloride, proteins such as soya bean meal, wheat, starch, sunflower meal, corn, meat and bone meal, amino acids, animal fat, vitamins and trace minerals.

In such a composition, the ratio of the electrolyte to the benzoic acid or a derivative thereof is suitably in the range from 0.5 : 1 to 5 : 1 w/w, preferably from 1.5 : 1 to 3 : 1 w/w.

Benzoic acid or a derivative thereof is particularly effective as a
 5 medicament for animals such as poultry, pigs or cattle, especially pigs.

The present invention is further illustrated with reference to the following Examples:

EXAMPLE 1:

The following feed compositions (shown in Table 2 below) in which all the
 10 amounts shown in % by weight were fed to pigs.

TABLE 2

Composition	Control I	Control II	Example 1
Meat meal (58% Crude protein)	3.20	3.20	3.20
Molasses	5.00	5.00	5.00
Wheat	5.90	5.90	5.90
Soybean meal (45% Crude protein)	15.1	15.1	15.1
Tapioca (66% starch)	38.5	36.5	35.5
Wheat middlings	15	15	15
Animal fat	3.3	3.3	3.3
Limestone	0.74	0.74	0.74
Lysine hydrochloride (98%)	0.06	0.06	0.06
Vitamin premix	0.5	0.5	0.5
Trace minerals	0.5	0.5	0.5
Sunflower meal	12.2	12.2	12.2
Ammonium chloride	-	2	2
Ammonium benzoate	-	-	1

The pH of the urine of the pigs fed on these diets for two days was
 15 monitored over various durations and found to be as follows (see Table 3 below):

TABLE 3

Duration	Control I - pH	Control II - pH	Example 2 - pH
After 0 Days*	8.15	5.22	4.68
After 7 days	8.30	8.57	5.01
After 10 days	8.30	8.60	6.92

*First excretion by the pigs after the two day feeding stage.

From these results it is abundantly clear that the use of the additives of the present invention gives rise to excrements of highly acidic and stable pH values and consequently gives rise to little or no ammonia emissions.

EXAMPLE 2:

In a further comparative test, a number of pigs were fed with a standard feed as shown below in Table 4. This was repeated in Example 2 except that 0.7% wt. of the wheat middlings in the standard feed was replaced with benzoic acid. The results are shown in Table 5 below:

TABLE 4

Composition	Weight %
Barley	36.15
Wheat	30
Peas	3.5
Rape seed oil meal	3
Soyabean oil meal (Brazilian)	17
Wheat middlings	2.5*
Animal fat	1.9
Limestone	0.61
Lysine hydrochloride (98%)	0.18
Vitamin premix	1
Molasses	3.4
Methionine	0.11
Mono-calcium phosphate	0.4
Salt	0.25

TABLE 5

Variables	Example 2*	Comparative Test
No. of pigs fed	33	33
Starting wt. per pig (Kg)	23.8	23.0
Final wt. per pig (Kg)	40	40.3
Growth per pig per day (g)	577	588
Feed conversion	1.91	2.11
Feed intake (Kg)	1.104	1.239

*0.7% wt of the wheat middlings in the standard feed replaced by benzoic acid.

- The above results show that pigs fed with a diet comprising benzoic acid have a much lower feed conversion (calculated as a ratio of feed intake over growth per pig per day) than those fed on a diet free of such benzoic acid. This signifies that the feed to the pigs is being used more efficiently.

Example 3:

- The effect of the experimental feed containing benzoic acid on the performance of the pigs was compared with the control feed which did not contain any benzoic acid. A pig room with six pens was used for this example during three periods. In three pens pigs were fed with the control feed, and in the other three pens pigs were fed with the experimental feed. The feed compositions are shown in the Table 6 and the performance results are shown in Table 7 below. It can be seen from Table 7 that the pigs fed on the experimental feed had a significant lower feed conversion ratio. This is probably due to the lower pH in the intestine which perhaps improves digestibility.

TABLE 6**Raw materials (%) and the calculated chemical composition of the feed (g/kg)**

5

Components	Starting Feed		Finishing Feed	
	Experimental	Control	Experimental	Control
Rye	5.0	5.0	15.0	15.0
Barley	30.0	30.0	15.0	15.0
Wheat	27.8	27.2	25.0	24.2
Peas	3.5	3.5	14.5	13.0
Maize gluten feed	-	-	7.1	6.5
Rape seed middlings	3.0	3.0	2.3	2.5
Soya meal	15.2	14.0	6.5	7.3
Wheat middlings	2.8	4.4	5.0	5.0
Cane sugar molasses	5.0	5.0	3.2	6.0
Animal meal	1.3	2.0	-	-
Animal fat	1.90	1.83	2.20	2.21
Mixture of methionine and cystine (Mervit®)	0.55	0.56	0.35	0.36
Threonine (Mervit®)	0.26	0.29	0.29	0.30
Liquid Lysine	0.76	0.78	0.56	0.57
Calprona P®*	1.0	0.70	0.6	-
Monocalcium phosphate	0.33	0.22	-	0.02
Sodium chloride	0.22	0.21	0.25	0.24
Vitamin/Mineral pre-mix (Mervit®) for starting feed	0.50	0.50	-	-
Vitamin/Mineral pre-mix (Mervit®) for finishing feed	-	-	0.50	0.50
Phytase enzyme (Mervit®)	0.20	0.24	0.21	0.20
Limestone	-	0.55	-	1.13
Benzoic acid	0.7	-	1.4	-

*-It is a blend of Ca (25%) and a mixture of carboxylic acids (75%) - the acids and their amounts in the mixture being formic (30%), acetic (30%) propionic (30%) and citric (10%).

Calculated Chemical Composition

Components	Starting Feed		Finishing Feed	
	Experimental	Control	Experimental	Control
Energy Value#	1.08	1.08	1.07	1.07
Water	131	132	130	134
Digestible lysine	8.4	8.4	7.0	7.0
Digestible methionine and cystine	5.2	5.2	4.5	4.5
Starch	380	380	400	388
Calcium	7.3	7.3	6.3	6.3
Phosphorus	4.8	4.8	4.1	4.1
Digestible phosphorus	2.9	2.9	2.1	2.1
Sodium	1.2	1.2	1.3	1.4
Potassium	9.0	9.0	8.3	9.1
Chlorine	3.2	3.2	3.0	3.4
Contents per kg				
Crude Protein	169	170	150	150
Crude fat	39	40	41	41
Crude fibre	39	40	40	39
Ash	50	53	44	53

5 # - Unit Energy value = 8.8 MJ net available energy for pigs for production and maintenance

10

15

TABLE 7**Performance of Experimental Pigs**

	Control Feed	Experimental Feed
Number of pigs	99	99
Initial live weight (kg)	26.2	26.29
Final live weight (kg)	107.4	108.2
Growth rate (g/day)	723	738
Feed intake (kg/day)	1.97	1.95
Feed conversion rate	2.72	2.64
Meat percentage	56.1	56.3
Culled pigs	5	2

5

10

15

20

25

Claims:

1. A composition comprising benzoic acid or a derivative of benzoic acid capable of giving rise to free benzoic acid *in vivo* for use as a medicament for animals.
2. A composition according to Claim 1 wherein benzoic acid or a derivative thereof capable of giving rise to benzoic acid *in vivo* is administered to the animals as a component of an animal feed composition.
3. A composition according to Claim 1 wherein benzoic acid and derivatives thereof are administered to the animals as a component of the drinking water fed to the animals.
4. A composition according to any one of the preceding Claims wherein derivatives of benzoic acid which can give rise to benzoic acid *in vivo* are salts of benzoic acid selected from the alkali metal benzoates, alkaline earth metal benzoates and ammonium benzoate.
5. A composition according to any one of the preceding Claims wherein the amount of benzoic acid or a derivative thereof administered to the animal is such that it is sufficient to act as a biocide.
6. A composition according to any one of the preceding Claims wherein the amount of benzoic acid or a derivative thereof is limited to a maximum of about 10% based on the total animal feed composition.
7. A composition according to any one of the preceding Claims wherein the amount of benzoic acid or a derivative thereof administered to the animal is in the range from 0.001 - 5% based on the total weight of each feed fed to the animal.
8. A composition according to any one of the preceding Claims wherein the benzoic acid or a derivative thereof is administered to the animal in combination with one or more of the following ingredients present in an animal feed

composition (diet): calcium carbonates; electrolytes including *inter alia* ammonium chloride; proteins including *inter alia* soya bean meal, wheat, starch, sunflower meal, corn, meat and bone meal; amino acids; animal fat; vitamins; and trace minerals.

- 5 9. A composition according to Claim 8 wherein the ratio of the electrolyte to the benzoic acid or a derivative thereof in the animal feed composition is in the range from 0.5 : 1 to 5 : 1 w/w.

10. A formulation for an animal feed composition as shown in the Table below in which all the amounts shown in % by weight:

10

Composition	Amounts
Meat meal (58% Crude protein)	3.20
Molasses	5.00
Wheat	5.90
Soybean meal (45% Crude protein)	15.1
Tapioca (66% starch)	35.5
Wheat middlings	15
Animal fat	3.3
Limestone	0.74
Lysine hydrochloride (98%)	0.06
Vitamin premix	0.5
Trace minerals	0.5
Sunflower meal	12.2
Ammonium chloride	2
Ammonium benzoate	1

11. A an animal feed composition comprising benzoic acid or a derivative thereof whenever administered as a medicament for animals selected from poultry, pigs and cattle.

- 15 12. A composition according to any one of the preceding Claims wherein benzoic acid is used in a pig feed formulation comprising the components shown in Tables 4 and 8 below:

20

TABLE 4

Composition	Weight %
Barley	36.15
Wheat	30
Peas	3.5
Rape seed oil meal	3
Soyabean oil meal (Brazilian)	17
Wheat middlings	2.5*
Animal fat	1.9
Limestone	0.61
Lysine hydrochloride (98%)	0.18
Vitamin premix	1
Molasses	3.4
Methionine	0.11
Mono-calcium phosphate	0.4
Salt	0.25

TABLE 8

Variables	Amounts*
No. of pigs fed	33
Starting wt. per pig (Kg)	23.8
Final wt. per pig (Kg)	40
Growth per pig per day (g)	577
Feed conversion	1.91
Feed intake (Kg)	1.104

*0.7% wt of the wheat middlings in the standard fee replaced by benzoic acid.

INTERNATIONAL SEARCH REPORT

Int. l. Application No

PCT/IB 97/01068

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61K31/19 A23K1/16 A23K1/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K A23K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Section Ch, Week 9502 Derwent Publications Ltd., London, GB; Class B05, AN 95-011742 XP002046599 & JP 06 298 641 A (TAKEDA CHEM IND LTD) , 25 October 1994 see abstract	1,2,5-8
P,X	& US 5 603 945 A (YOSHIO ISOBE ET AL.) 18 February 1997 see column 2, line 45 - column 3, line 57 see column 4, line 6 - line 9 see column 6, line 58 - column 8, line 25 --- -/--	1,2,5-8

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"A" document member of the same patent family

Date of the actual completion of the international search

12 November 1997

Date of mailing of the international search report

21/11/1997

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Dekeirel, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 97/01068

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 683 985 A (VERDUGT BV) 29 November 1995 cited in the application see example 2 see claims 1-10 ---	10-12
X	WO 96 24248 A (KEMIRA CHEMICALS OY ;AHLNAES THOMAS (FI); MUELLER ARTHUR (SE); MAL) 15 August 1996 see page 1, line 4 - page 2, line 30 see page 3, line 10 - line 18 see page 3, line 35 - page 4, line 5 see page 7, line 21 - line 27 see claims 1,9,23-25 ---	1,2,5,8
X	WO 96 24247 A (KEMIRA CHEMICALS OY ;AHLNAES THOMAS (FI); LUHTALA JARMO (FI); LOEF) 15 August 1996 see page 1, line 1 - page 6, line 21 see page 10, line 20 - page 11, line 6 see examples 1-10 see claims 1,2,19 ---	1,2,5,8
X	GB 2 008 381 A (BASF AG) 6 June 1979 see page 3, line 49 - line 55 see claims 1,2,4 ---	1,2,4,5
A	WO 93 16611 A (KEMIRA OY) 2 September 1993 see page 2, line 33 - page 3, line 23 see page 4, line 4 - line 5 see claim 1 ---	1-5
A	DATABASE WPI Section Ch, Week 9543 Derwent Publications Ltd., London, GB; Class B05, AN 95-332478 XP002046600 & JP 07 228 533 A (KIMURA H) , 29 August 1995 see abstract ---	1
A	GB 1 535 233 A (PLATE KOFASIL GMBH) 13 December 1978 see examples 1-4 see claims 1,7 ---	1-5
A	GB 2 109 217 A (NITROKEMIA IPARTELEPEK;KERTESZETI EGYETEM) 2 June 1983 see claim 4 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB 97/01068

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2109217 A	02-06-83	AR 231488 A	28-12-84
		AT 376552 B	10-12-84
		AU 548586 B	19-12-85
		AU 8670382 A	10-02-83
		BE 893969 A	31-01-83
		CA 1192432 A	27-08-85
		CH 654176 A	14-02-86
		CS 253570 B	12-11-87
		DE 3229109 A	24-02-83
		DK 350082 A	05-02-83
		FR 2510875 A	11-02-83
		JP 58076050 A	09-05-83
		KE 3557 A	27-09-85
		NL 8203082 A	01-03-83
		SE 8204560 A	03-08-82
		SU 1535368 A	07-01-90
		US 4482550 A	13-11-84

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ ~~FADED~~ TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.